

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

NASA TECHNICAL MEMORANDUM

JSC-09429

NASA TM X-58181
April 1976



ZONAL AND TESSERAL HARMONIC COEFFICIENTS FOR THE
GEOPOTENTIAL FUNCTION, FROM ZERO TO 18TH ORDER

(NASA-TM-X-58181) ZONAL AND TESSERAL
HARMONIC COEFFICIENTS FOR THE GEOPOTENTIAL
FUNCTION, FROM ZERO TO 18TH ORDER (NASA)
11 p HC \$3.50

CSCI 12A

N76-27931

G3/64 Unclass
42361

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
LYNDON B. JOHNSON SPACE CENTER
HOUSTON, TEXAS 77058



| | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------|
| 1. Report No. NASA TM X-58181 | 2. Government Accession No. | 3. Recipient's Catalog No. | |
| 4. Title and Subtitle ZONAL AND TESSERAL HARMONIC COEFFICIENTS FOR THE GEOPOTENTIAL FUNCTION, FROM ZERO TO 18TH ORDER | | 5. Report Date April 1976 | |
| | | 6. Performing Organization Code JSC-09429 | |
| 7. Author(s) James C. Kirkpatrick | | 8. Performing Organization Report No. | |
| 9. Performing Organization Name and Address Lyndon B. Johnson Space Center Houston, Texas 77058 | | 10. Work Unit No. 986-16-00-00-72 | |
| | | 11. Contract or Grant No. | |
| 12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546 | | 13. Type of Report and Period Covered Technical Memorandum | |
| | | 14. Sponsoring Agency Code | |
| 15. Supplementary Notes | | | |
| 16. Abstract Zonal and tesseral harmonic coefficients for the geopotential function are usually tabulated in normalized form to provide immediate information as to the relative significance of the coefficients in the gravity model. The normalized form of the geopotential coefficients cannot be used for computational purposes unless the gravity model has been modified to receive them. This modification is usually not done because the absolute or unnormalized form of the coefficients can be obtained from the simple mathematical relationship that relates the two forms. This computation can be quite tedious for hand calculation, especially for the higher order terms, and can be costly in terms of storage and execution time for machine computation. In this report, zonal and tesseral harmonic coefficients for the geopotential function are tabulated in absolute or unnormalized form. The report is designed to be used as a ready reference for both hand and machine calculation to save the user time and effort. | | | |
| 17. Key Words (Suggested by Author(s)) Zonal harmonics Geopotential Tesseral harmonics Harmonic functions Coefficients Legendre functions | | 18. Distribution Statement STAR Subject Category: 64 (Numerical Analysis) | |
| 19. Security Classif. (of this report) Unclassified | 20. Security Classif. (of this page) Unclassified | 21. No. of Pages 11 | 22. Price* \$3.50 |

*For sale by the National Technical Information Service, Springfield, Virginia 22161

NASA TM X-58181

ZONAL AND TESSERAL HARMONIC COEFFICIENTS FOR THE
GEOPOTENTIAL FUNCTION, FROM ZERO TO 18TH ORDER

James C. Kirkpatrick
Lyndon B. Johnson Space Center
Houston, Texas 77058

ZONAL AND TESSERAL HARMONIC COEFFICIENTS FOR THE GEOPOTENTIAL FUNCTION, FROM ZERO TO 18TH ORDER

By James C. Kirkpatrick
Lyndon B. Johnson Space Center

SUMMARY

The zonal and tesseral harmonic coefficients for the geopotential function are given in unnormalized form, from zero to 18th order.

INTRODUCTION

The coefficients of the geopotential function, both zonal and tesseral, are usually published in normalized form so that all coefficients have about the same order of magnitude. Although this practice is useful, it obscures the actual magnitude of the coefficients. This type of publication results in an unwieldy reference for computation purposes, and it requires the evaluation of lengthy factorial expressions to arrive at useful data. This report has been prepared to provide the user of the coefficients of the geopotential function with a ready reference for the zonal and tesseral harmonic coefficients. The data for this work were obtained from reference 1.

DISCUSSION

The geopotential function V is given as

$$V = \frac{g_E}{r} \sum_{n=0}^{\infty} \left(\frac{R_E}{r} \right)^n \sum_{m=0}^n P_{nm}(\sin \varphi) \left[C_{nm} \cos(m\lambda) + S_{nm} \sin(m\lambda) \right] \quad (1)$$

where g_E is the gravitational parameter, having units of length³/time²; r is the magnitude of the position vector to the point in question, having units of length; R_E is the equatorial radius of the attracting body (in this case, the Earth), having units of length; C_{nm} and S_{nm} are the harmonic coefficients; $P_{nm}(\sin \varphi)$ is the Legendre polynomial function of degree n and order m given by the expression

$$P_{nm}(\sin \varphi) = \cos^m(\varphi) \frac{1}{2^n} \sum_{t=0}^{\ell} \frac{(-1)^t (2n-2t)!}{t! (n-t)! (n-m-2t)!} \sin^{n-m-2t}(\varphi) \quad (2)$$

where ℓ is the greatest integer equal to $(n-m)/2$ if $n-m$ is even and the greatest integer equal to $(n-m-1)/2$ if $n-m$ is odd, φ is the latitude of the point in question, and λ is the east longitude of the point in question.

The harmonic coefficients are further classified as follows. When $m=0$, the harmonic coefficients are called zonal; when $n \neq m$, the harmonic coefficients are called tesseral. For the particular case in which $n=m$, the harmonic coefficients are called sectorial. It may be seen from equation (1) that there are no zonal S_{n0} coefficients. Further, $C_{n0} = -J_{n0}$ where J_{n0} refers to the usually published zonal harmonic coefficients. The term $C_{00} = +1$ as the geopotential function is associated with an inverse square law of attraction. Tables I and II contain the unnormalized harmonic coefficients C_{nm} and S_{nm} , respectively. The normalized barred values are converted to unnormalized values as follows.

$$C_{nm}, S_{nm} = \left[\frac{(2 - S_{m0})(2n+1)(n-m)!}{(n+m)!} \right]^{\frac{1}{2}} \bar{C}_{nm}, \bar{S}_{nm} \quad (3)$$

where $S_{m0} = 1$ for $m=0$ and $S_{m0} = 0$ for $m \neq 0$.

CONCLUDING REMARK

The information presented in this report is in a form designed for immediate use for either hand or machine computation of the geopotential function and its gradient.

Lyndon B. Johnson Space Center
National Aeronautics and Space Administration
Houston, Texas, April 21, 1976
986-16-00-00-72

REFERENCE

1. Gaposchkin, E. M.: 1973 Smithsonian Standard Earth (III). Special Rep. No. 353, Smithsonian Astrophysical Observatory (Cambridge, Mass.), Nov. 28, 1973, pp. 282-293.

TABLE I.- UNNORMALIZED HARMONIC COEFFICIENT C_{nm}

| n | m | | | | |
|----|-----------------|-----------------|-----------------|-----------------|-------------------|
| | 0 | 1 | 2 | 3 | 4 |
| 0 | 0.10000000 + 01 | | | | |
| 1 | 0 | 0 | | | |
| 2 | -.10826370 - 02 | 0.15362188 - 05 | | | |
| 3 | .25410000 - 05 | .21577626 - 05 | .26584006 - 06 | 0.68342573 - 07 | |
| 4 | .16179990 - 05 | -.49092463 - 06 | .76688186 - 07 | .62092125 - 07 | -.0.22210654 - 08 |
| 5 | .22800004 - 06 | -.45957673 - 07 | .96888828 - 07 | -.19301654 - 07 | 0.34362977 - 09 |
| 6 | -.55199908 - 06 | -.56779905 - 07 | .30690303 - 08 | .91517315 - 10 | -.10898613 - 09 |
| 7 | .35199996 - 06 | .17223660 - 06 | .20343787 - 07 | .30980538 - 08 | .12290637 - 10 |
| 8 | .20499998 - 06 | .75219190 - 08 | .91037581 - 08 | -.89552578 - 09 | .27725347 - 10 |
| 9 | .15399990 - 06 | .11760482 - 06 | -.15247844 - 08 | -.75011669 - 09 | -.60301570 - 11 |
| 10 | .23699982 - 06 | .54999323 - 07 | -.22151985 - 08 | -.77585383 - 09 | -.38185997 - 12 |
| 11 | -.31200001 - 06 | -.71984359 - 08 | -.10487030 - 08 | -.50681989 - 11 | -.73967019 - 13 |
| 12 | .19200000 - 06 | -.32233096 - 07 | -.44445551 - 08 | .43041427 - 09 | .21782102 - 11 |
| 13 | .33900010 - 06 | .46918691 - 08 | -.43356630 - 09 | -.99035416 - 10 | .73851040 - 12 |
| 14 | -.10499994 - 06 | -.75462040 - 08 | -.57967993 - 09 | .24725700 - 09 | -.18188947 - 13 |
| 15 | -.10500024 - 06 | .14921644 - 07 | -.40493840 - 09 | -.12690067 - 09 | .21218397 - 11 |
| 16 | -.33999998 - 07 | -.49056270 - 08 | .16513794 - 09 | .99603810 - 10 | .52637402 - 11 |
| 17 | .22000007 - 06 | .41416280 - 08 | .4899410 - 09 | -.12331832 - 10 | -.39931213 - 11 |
| 18 | .10200002 - 06 | -.10957785 - 07 | .23776071 - 09 | -.48172477 - 10 | .22298275 - 11 |
| | | | | | .73929837 - 14 |

TABLE I.- Continued

| n | m | | | | | | | | | | |
|----|------------------|------------------|-----------------|------------------|-----------------|-----------------|--|--|--|--|--|
| | 6 | 7 | 8 | 9 | 10 | 11 | | | | | |
| 0 | | | | | | | | | | | |
| 1 | | | | | | | | | | | |
| 2 | | | | | | | | | | | |
| 3 | | | | | | | | | | | |
| 4 | | | | | | | | | | | |
| 5 | | | | | | | | | | | |
| 6 | -0.67880982 - 11 | | | | | | | | | | |
| 7 | -.19084904 - 10 | -0.46109211 - 12 | | | | | | | | | |
| 8 | -.27242185 - 11 | .10452042 - 11 | 0.21628914 - 12 | | | | | | | | |
| 9 | .64453161 - 12 | -.37889020 - 12 | .76886527 - 13 | -0.26604530 - 14 | | | | | | | |
| 10 | -.65343725 - 12 | .15592804 - 12 | .12470313 - 15 | .14581345 - 14 | 0.55347647 - 15 | | | | | | |
| 11 | .25055278 - 12 | -.14019397 - 13 | -.64942727 - 15 | .13071130 - 15 | .49867891 - 16 | 0.17599280 - 16 | | | | | |
| 12 | -.50216354 - 13 | .66073891 - 14 | .39257829 - 15 | -.27874032 - 15 | -.13697081 - 16 | -.34497846 - 18 | | | | | |
| 13 | -.32766339 - 13 | -.97255347 - 14 | -.30911939 - 16 | -.12443074 - 16 | .46995620 - 18 | -.71747410 - 18 | | | | | |
| 14 | -.13600380 - 13 | .53747475 - 14 | -.11446413 - 15 | -.12619922 - 16 | .13729037 - 17 | .39129532 - 18 | | | | | |
| 15 | .66897366 - 14 | .14355000 - 14 | -.23948717 - 15 | -.12115734 - 16 | .13606205 - 17 | -.85907798 - 19 | | | | | |
| 16 | -.17173078 - 14 | -.69378804 - 16 | -.21660554 - 15 | .36383409 - 17 | -.43341732 - 18 | -.17780157 - 19 | | | | | |
| 17 | -.14943152 - 13 | .34272030 - 15 | .52763253 - 16 | -.36071852 - 17 | -.61725185 - 19 | -.17944767 - 19 | | | | | |
| 18 | .57199516 - 14 | -.10769316 - 16 | .43916072 - 16 | -.17937162 - 19 | .13184452 - 18 | .51303399 - 20 | | | | | |

TABLE I.- Concluded

| n | m | | | | | | | |
|----|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|
| | 12 | 13 | 14 | 15 | 16 | 17 | 18 | |
| 0 | | | | | | | | |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | -0.24791835 - 18 | | | | | | | |
| 13 | -.87009645 - 19 | -0.25228059 - 19 | | | | | | |
| 14 | .63022309 - 21 | .22473701 - 20 | -0.90987867 - 21 | | | | | |
| 15 | .77676168 - 20 | -.84003453 - 21 | .25330996 - 22 | -0.27247168 - 22 | | | | |
| 16 | .11482143 - 20 | .16918243 - 21 | -.10477119 - 22 | -.69365304 - 23 | -0.29359521 - 24 | | | |
| 17 | .97587650 - 21 | .63286457 - 22 | -.12643725 - 23 | .11328557 - 23 | -.66836336 - 25 | -0.43916722 - 25 | | |
| 18 | -.88213613 - 22 | -.27730826 - 22 | .74918243 - 24 | -.29690427 - 24 | .17594420 - 25 | .29920920 - 26 | -0.48942965 - 29 | |

TABLE II.- UNNORMALIZED HARMONIC COEFFICIENT S_{nm}

| n | m | | | | | |
|----|------------------|---|------------------|------------------|------------------|------------------|
| | 0 | 1 | 2 | 3 | 4 | 5 |
| 0 | | | | | | |
| 1 | 0 | | | | | |
| 2 | 0 | | -0.88149100 - 06 | | | |
| 3 | 0.24126717 - 06 | | -0.25794649 - 06 | 0.21311125 - 06 | | |
| 4 | -0.45669614 - 06 | | .15020563 - 06 | -0.71253553 - 08 | 0.75347614 - 08 | |
| 5 | -0.68484785 - 07 | | -0.64588236 - 07 | -0.53971559 - 08 | -0.35344245 - 09 | -0.21382371 - 08 |
| 6 | .13970346 - 07 | | -0.50574933 - 07 | .60242316 - 09 | -0.11468848 - 08 | -0.49201944 - 09 |
| 7 | .40719318 - 07 | | .17252129 - 07 | -0.48799206 - 08 | -0.58902474 - 09 | .30796139 - 10 |
| 8 | .33279647 - 07 | | .85082849 - 08 | -0.51272991 - 09 | .34602120 - 09 | .14689474 - 10 |
| 9 | .26700368 - 07 | | .16773113 - 08 | -0.17446947 - 09 | -0.32967416 - 10 | .37674034 - 12 |
| 10 | -0.37171875 - 07 | | -0.37861010 - 08 | -0.42403470 - 09 | -0.46179273 - 10 | -0.73902372 - 11 |
| 11 | .44547775 - 07 | | -0.32617227 - 08 | -0.17572647 - 09 | -0.82321514 - 10 | .24314703 - 11 |
| 12 | -0.37455158 - 07 | | .21141108 - 08 | -0.18127686 - 09 | .16624034 - 10 | .74347787 - 12 |
| 13 | -0.17648980 - 07 | | -0.36811927 - 08 | .15083154 - 09 | -0.24898756 - 10 | .70286377 - 12 |
| 14 | .27532950 - 07 | | .99749549 - 09 | -0.65391778 - 10 | -0.69240992 - 12 | -0.77185959 - 12 |
| 15 | -0.84834514 - 08 | | -0.22720500 - 08 | .96427367 - 10 | .10035662 - 11 | -0.80827274 - 13 |
| 16 | .26678793 - 07 | | .14825721 - 08 | .10088679 - 10 | .41345257 - 11 | .21306399 - 12 |
| 17 | -0.19654235 - 07 | | -0.74627732 - 09 | -0.28369992 - 10 | .62997120 - 11 | -0.13901869 - 12 |
| 18 | -0.34671201 - 07 | | .76571115 - 09 | -0.28163345 - 10 | -0.33843256 - 11 | -0.23486394 - 13 |

TABLE II. - Continued

| n | m | | | | | | | | | | |
|----|------------------|------------------|-----------------|-----------------|-----------------|------------------|--|--|--|--|--|
| | 6 | 7 | 8 | 9 | 10 | 11 | | | | | |
| 0 | | | | | | | | | | | |
| 1 | | | | | | | | | | | |
| 2 | | | | | | | | | | | |
| 3 | | | | | | | | | | | |
| 4 | | | | | | | | | | | |
| 5 | | | | | | | | | | | |
| 6 | -0.61336581 - 10 | | | | | | | | | | |
| 7 | .59598680 - 11 | -0.16504040 - 12 | | | | | | | | | |
| 8 | .78429295 - 11 | .12539595 - 11 | 0.11888573 - 12 | | | | | | | | |
| 9 | .14676655 - 11 | -.28546366 - 12 | .31494288 - 14 | 0.45840870 - 14 | | | | | | | |
| 10 | -.81403752 - 13 | .18228220 - 13 | .81074789 - 15 | .10476353 - 15 | 0.41066782 - 15 | | | | | | |
| 11 | -.10422595 - 12 | -.53256350 - 13 | .21543894 - 14 | .41029304 - 15 | -.73443528 - 16 | -0.51972861 - 17 | | | | | |
| 12 | .83075022 - 13 | .70586752 - 14 | .12631753 - 14 | .35155738 - 16 | -.12904565 - 16 | -.21047103 - 17 | | | | | |
| 13 | -.16933613 - 13 | .14082703 - 14 | .76114797 - 15 | .78374830 - 16 | .85943131 - 18 | .17745217 - 18 | | | | | |
| 14 | -.27428216 - 13 | .18186368 - 15 | -.35810041 - 15 | .31371315 - 16 | -.16210543 - 17 | -.92965263 - 20 | | | | | |
| 15 | -.20221838 - 13 | .74394730 - 15 | .21140956 - 15 | .14901851 - 16 | -.15724687 - 18 | -.66059724 - 20 | | | | | |
| 16 | -.95949145 - 14 | .93165562 - 16 | -.92637750 - 16 | -.12632343 - 16 | -.48910332 - 19 | .25361968 - 19 | | | | | |
| 17 | -.56786805 - 14 | -.68293160 - 15 | .75236040 - 17 | -.13363291 - 17 | .31664041 - 18 | -.17532903 - 20 | | | | | |
| 18 | -.10747706 - 14 | -.11317166 - 15 | -.18038400 - 16 | -.25109046 - 18 | .24689642 - 19 | .47613636 - 20 | | | | | |

TABLE II.- Concluded

| n | m | | | | | | | |
|----|------------------|-----------------|-----------------|-----------------|------------------|------------------|-----------------|--|
| | 12 | 13 | 14 | 15 | 16 | 17 | 18 | |
| 0 | | | | | | | | |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | -0.15088574 - 18 | | | | | | | |
| 13 | .14919804 - 18 | 0.26306428 - 19 | | | | | | |
| 14 | -.16608049 - 19 | .34754576 - 20 | 0.45556690 - 22 | | | | | |
| 15 | .10918469 - 20 | -.11271717 - 21 | -.71881359 - 22 | 0.16870541 - 22 | | | | |
| 16 | -.91561621 - 21 | .44330079 - 22 | -.57643200 - 23 | -.23733371 - 23 | -0.35333419 - 24 | | | |
| 17 | .19412733 - 21 | .24594818 - 22 | .16408705 - 23 | .73715316 - 24 | -.45093232 - 25 | -0.46148810 - 26 | | |
| 18 | .93575138 - 22 | -.44165640 - 22 | -.27217231 - 23 | -.12592385 - 24 | -.34114057 - 26 | -.39914306 - 26 | 0.71302344 - 27 | |

NASA-JSC